

INSTALLATION & OPERATING INSTRUCTIONS


NATURAL WOVEN SHADES

AMP™ Motorization

Thank you for your purchase. This shade has been custom built for you from the highest quality materials. To avoid errors and save valuable time, please read these instructions before installing your new blind.

TOOLS YOU WILL NEED

1. Pencil or Marker
2. Measuring Tape
3. Flat-Head Screwdriver
4. Phillips Screwdriver
5. Level
6. Power Drill
7. Mounting Fasteners
8. Paper Clip






Mounting Surface	Fastener
Drywall, Plaster	Wall Anchors, Expansion Bolts (Not provided) 
Metal	Sheet Metal Screws (Not provided) 
Wood	No. 6 Hex Head Screws (Provided) 


TABLE OF CONTENTS

Getting Started	Page 2
Mounting Type	Page 2
Inside Mount	Page 3
Outside Mount	Page 3
Motorized Shade	Page 3
Child Safety	Page 4
Warranty	Page 4


GETTING STARTED

Thank you for purchasing Woven Woods Shades. All of the required installation components are wrapped in the package along with these instructions.


NOTE: Some parts may vary depending upon your chosen mounting options, whether intermediate brackets are required or your chosen control system options.




**Inside/Ceiling Mount
Installation Bracket**




**Outside Mount
Installation Bracket**



**Extension Brackets
(Optional)**



**Spacer Blocks
(Optional)**




**Hold Down Brackets
(Optional)**



Charger
(Purchased Separately)
to recharge the motor




Bridge
(Purchased Separately)



Solar Panel
(Optional)
to recharge the motor



Remote
(Purchased Separately)
required to operate the shade




Motor Extension Cable
(Purchased Separately)

Mounting Types


With proper installation, operation, and care, your new shades will provide years of beauty and performance. Please thoroughly review this instruction booklet before beginning the installation.

If the installation brackets are mounted correctly, the rest of the installation process will follow easily. To prepare for this important first step, review the mounting types and basic window terminology illustrated.

Prior to mounting the brackets, add any clearance depth required to avoid obstructions such as window cranks or handles.




Make sure mounting surface is level. Brackets must be in line and level. Shim brackets if necessary.
The head rail must be level for the shade to operate properly.



Inside Mount

1. Hold the shade inside the window frame. Center the shade so the space between the end of the headrail and edges of the window frame are equal.




Flush Mounting Depth Requirement: 3-1/4"
Min. Mounting Depth Requirement: 1-1/2"

2. The headrail of your shade has been slotted for the bracket. Space brackets evenly based on the slotted positions. Using the installation bracket as a template, measure to the center of the brackets and mark the hole locations with a pencil for drilling.




3. Install the brackets with screws provided. Make sure brackets are leveled and aligned with one another.



4. Remove the wing nuts from the bolts and hold the shade with the bracket bolts coming through the routed slots on each end of the headrail, reinstall the wing nuts onto the bolts and hand tighten.


Outside Mount

1. Center the shade over the window opening at the desired height.




Min. Flat Vertical Surface: 1"

2. Space brackets evenly based on route position on the head rail. Using the installation bracket as a template, measure to the center of the brackets and mark the hole locations with a pencil for drilling. Using the spacer block if needed to extend out the bracket to avoid obstruction of window trim.



3. Install the brackets with screws provided. Make sure brackets are level and align with one another.

4. Remove the wing nuts from the bolts and hold the shade with the bracket bolts coming through the routed slots on each end of the headrail, reinstall the wing nuts onto the bolts and hand tighten.



Motorized Shades

To **activate the motor** from sleep mode, **press P1**. Please refer to the programming instructions for steps on motor use.

For Bridge set up, please refer to the BLISS Bridge start guide.

For Solar Panel set up, please refer to the solar panel instructions.

CHILD SAFETY

Young children can **STRANGLE** in cord loops and in the loop above the cord stop. They can also wrap cords around their necks and **STRANGLE**.

- Always keep cords out of children's reach.
- Move cribs, playpens and other furniture away from cords.
Children can climb furniture to get to cords.
- Do not tie cords together.
- Make sure cords do not twist together and create a loop.



SAFETY LABELS

In compliance with WCMA/ANSI safety standards the warning labels on the bottom rail are designed to be permanent. **DO NOT** remove the permanent warning label on the bottom rail. This assures that future owners of this product will be aware of potential dangers associated with this shade.

WARRANTY INFORMATION

Lifetime Limited Warranty covering our Custom Made Blinds

We extend this lifetime limited warranty to the original purchaser. This warranty applies only to manually operated Custom Products properly installed in the window, door or interior area for which they were intended. Installation of the product must be in accordance with accompanying instructions. The product cannot be modified. It is the purchaser's responsibility to maintain and clean the product in compliance with the instruction provided. The product must be used only in the window for which it was purchased. Damage to the product resulting from misuse, abuse, direct exposure to salty air or discoloration due to sunlight or the passage of time is not covered by this warranty.

This warranty does not apply to conditions caused by normal wear and tear upon the product. This warranty is exclusive and in lieu of all other obligations, liabilities or warranties. In no event shall the Manufacturer be liable for incidental or consequential damages or for any other direct or indirect damage, loss, cost, expense or fee. Some states do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion or limitation may not apply to you.

In the event of a defect under this warranty, we will repair or replace the product, at our option, provided it is returned to our store. Our warranty obligation excludes shipping charges and labor costs for measuring and installation. Repairs will be made with like or similar parts. This warranty gives you specific legal rights, and you may have other rights which vary from state to state.

Notes: Specialty Blinds and Shades are warranted for one year from the date of purchase. This warranty does not apply to Commercial Orders.

